

with a value of $k = 1$. It seems that physical laws can inspire us to design better systems and algorithms.

References

- [1] J. Wortham (2009, Sep.). Customers Angered as iPhones Overload AT&T. *The New York Times*. [Online]. Available: <http://www.nytimes.com/2009/09/03/technology/companies/03att.html>.
- [2] A. Lindgren and P. Hui, "The quest for a killer app for opportunistic and delay-tolerant networks," in *Proc. ACM CHANTS*, 2009, pp. 59–66.
- [3] D. Kim, D. Meyer, H. Kilmer, and D. Farinacci, "Anycast Rendezvous Point (RP) mechanism using Protocol Independent Multicast (PIM) and Multicast Source Discovery Protocol (MSDP)," RFC 3446, January 2003.
- [4] J. Moy, "OSPF Version 2," IETF RFC 2328, April 1998.
- [5] V. Park and J. Macker, "Anycast Routing for Mobile Services," in *Conference on Information Sciences and Systems (CISS)*, Baltimore, MD, USA, March 1999.
- [6] G. Malkin, "Rip version 2," IETF RFC 2453, November 1998.
- [7] V. Park and S. Corson, *Temporally-Ordered Routing Algorithm (TORA)*, IETF Internet Draft, July 2001.

Sattenapalli, Guntur Affiliated to JNTUK, Kakinada, A.P., India. My research Interests are Mobile Computing, Network Security and Mobile Networks. He is a Life member of AMIT.

AUTHORS PROFILE



Divi Mydhili, Pursuing M.Tech(CS) from Nalanda Institute of Engineering & Technology, Siddharth Nagar, Sattenapalli, Guntur Affiliated to JNTUK, Kakinada, A.P., India. My research Interests are computer networks.



R. Rammohan Rao, working as Professor & Head, Department of Computer Science Engineering at Nalanda Institute of Engineering & Technology, Siddharth Nagar,